Journal of the Neurological Sciences, 1990, 96: 355–357
Elsevier

Author Index (Vol. 96)

Albo, J., see Edström, L., 211
Al-Deeb, S.M., see Yaqub, B.A., 29
Al-Din, A.S.N., Al-Kurdi, A., Al-Salem, M.K., Al-Nassar, K.E., Al-Zuhair, A., Rudwan, M.A., Ayish, I., Barghouti, J.A., Khaffaji, S. and Hamawi, T.
Autosomal recessive ataxia, slow eye movements, dementia and extrapyramidal disturbances, 191
Al-Jaberi, M., see Yaqub, B.A., 29
Al-Kurdi, A., see Al-Din, A.S.N., 191
Al-Nassar, K.E., see Al-Din, A.S.N., 191
Al-Salem, M.K., see Al-Din, A.S.N., 191
Al-Zuhair, A., see Al-Din, A.S.N., 191
Ansselin, A.D. and Pollard, J.D.
Immunopathological factors in peripheral nerve allograft rejection: quantification of lymphocyte invasion and major histocampatibility complex expression, 75
Ansved, T. and Larsson, L.
Quantitative and qualitative morphological properties of the soleus motor nerve and the L5 ventral root in young and old rats. Relation to the number of soleus muscle fibres, 269
Appel, S.H., see Engelhardt, J., 333
Arrendondo, J.M., see del Ser, A., 1
Ayish, I., see Al-Din, A.S.N., 191

Barghouti, J.A., see Al-Din, A.S.N., 191
Barhanin, J., see Senni, M.I., 303
Bermejo, F., see del Ser, A., 1
Bet, L., see Ponzetto, C., 207
Bordoni, A., see Ponzetto, C., 207
Bouras, C., see del Ser, A., 1
Bresolin, N., see Ponzetto, C., 207
Bunnag, T., see Punyagupta, S., 241
Buruma, O.J.S., see Ferrari, M.D., 153

Calcutt, N.A., Tomlinson, D.R., Willars, G.B. and Keen, P.
Axonal transport of substance P-like immunoreactivity in ganglioside-treated diabetic rats, 283
Catz, I., see Warren, K.G., 19
Chaleomchan, W., Hemachudha, T., Sakulramrung, R. and Deesomchok, U.
Anticardiolipin antibodies in patients with rabies vaccination induced neurological complications and other neurological diseases, 143
Constantinidis, J., see del Ser, A., 1
Cossu, G., see Senni, M.I., 303
Curci, A., see Senni, M.I., 303

Daif, A.K., see Yaqub, B.A., 29
Davies, C.A., Morroll, D.R., Prinja, D., Mann, D.M.A. and Gibbs, A.
A quantitative assessment of somatostatin-like and neuropeptide Y-like immunostained cells in the frontal and temporal cortex of patients with Alzheimer's disease, 59
De Angelis, L., see Senni, M.I., 303
Deesomchok, U., see Chaleomchan, W., 143
Del Ser, A., Bermejo, F., Portera, A., Arrendondo, J.M., Bouras, C. and Constantinidis, J.
Vascular dementia. A clinicopathological study, 1
De Wolff, F.A., see Ferrari, M.D., 153

Edström, L., Thornell, L.-E., Albo, J., Landin, S. and Samuelsson, M.
Myopathy with respiratory failure and typical myofibrillar lesions, 211
Engelhardt, J. and Appel, S.H.
Motor neuron reactivity of sera from animals with autoimmune models of motor neuron destruction, 333

Ferrari, M.D., Peeters, E.A.J., Haan, J., Roos, R.A.C., Vermey, P., de Wolff, F.A. and Buruma O.J.S.
Cytochrome *P*450 and Parkinson's disease. Poor parahydroxylation of phenytoin, 153
Furumi, K., see Takeoka, T., 229

Geronimi, C., see Tazir, M., 89
Gheuens, J., see Truyen, L., 173
Gibbs, A., see Davies, C.A., 59

Haan, J., see Ferrari, M.D., 153
Hamawi, T., see Al-Din, A.S.N., 191
Hashimoto, S., see Yamamoto, T., 159
Hemachudha, T., see Chaleomchan, W., 143
Hirose, K., see Nishimura, M., 183

Illavia, S.J., see Pathak, S., 293
Iwasaki, Y.
Pathology of chronic myelopathy associated with HTLV-I infection (HAM/TSP), 103

Juttijadata, P., see Punyagupta, S., 241

Kanazawa, I., see Roos, R.A.C., 41
Kawamura, J., see Yamamoto, T., 159
Keen, P., see Calcutt, N.A., 283
Keir, K., see Sharief, M.K., 131
Khaffaji, S., see Al-Din, A.S.N., 191
Khalili-Shirazi, A., see Pathak, S., 293
Kurobe, H., see Yamamoto, T., 159

Landin, S., see Edström, L., 211
Larsson, L., see Ansved, T., 269

Mann, D.M.A., see Davies, C.A., 59
Martin, J.-J., see Truyen, L., 173
Meola, G., see Ponzetto, C., 207
Mizuno, Y., Suzuki, K. and Ohta, S.
Postmortem changes in mitochondrial respiratory enzymes in brain and a preliminary observation in Parkinson's disease, 49
Moggio, M., see Ponzetto, C., 207
Molinaro, M., see Senni, M.I., 303
Mori, K., see Takeoka, T., 229
Morroll, D.R., see Davies, C.A., 59

Nakamura, M., see Yamamoto, T., 159
Navarrete, R., Shahani, U. and Vrbová, G.
Long-lasting modification of reflexes after neonatal nerve injury in the rat, 257
Nervi, C., see Senni, M.I., 303
Nishimura, M., Tojima, M., Suga, M., Hirose, K. and Tanabe, H.
Chronic progressive spinobulbar spasticity with disturbance of voluntary eyelid closure. Report of a case with special reference to MRI and electrophysiological findings, 183

Obeid, T., see Yaqub, B.A., 29
Ohta, S., see Mizuno, Y., 49

Panayiotopoulos, C.C., see Yaqub, B.A., 29
Parizel, P.M., see Truyen, L., 173
Pathak, S., Illavia, S.J., Khalili-Shirazi, A. and Webb, H.E.
Immunoelectron microscopical labelling of a glycolipid in the envelopes of brain cell-derived budding viruses, Semliki Forest, influenza and measles, using a monoclonal antibody directed chiefly against galactocerebroside resulting from Semliki Forest virus infection, 293
Peersman, G.V., see Truyen, L., 173
Peeters, E.A.J., see Ferrari, M.D., 153
Pollard, J.D., see Ansselin, A.D., 75
Ponzetto, C., Bresolin, N., Bordoni, A., Moggio, M., Meola, G., Bet, L., Prelle, A. and Scarlato, G., Kearns-Sayre syndrome: different amounts of deleted mitochondrial DNA are present in several autoptic tissues, 207
Portera, A., see del Ser, A., 1
Prelle, A., see Ponzetto, C., 207
Prinja, D., see Davies, C.A., 59
Punyagupta, S., Bunnag, T. and Juttijadata, P.
Eosinophilic meningitis in Thailand. Clinical and epidemiological characteristics of 162 patients with myeloencephalitis probable caused by *Gnathostoma spinigerum*, 241
Roos, R.A.C. and Kanazawa, I.
Fine distribution of gamma-aminobutyric acid, aspartate and glutamate in human dentate nucleus, 41
Roos, R.A.C., see Ferrari, M.D., 153
Rowe, I.C.M., see Wareham, A.C., 321
Rudwan, M.A., see Al-Din, A.S.N., 191

Sakulramrung, R., see Chaleomchan, W., 143
Samuelsson, M., see Edström, L., 211
Scarlato, G., see Ponzetto, C., 207
Senni, M.I., De Angelis, L., Nervi, C., Curci, A., Barhanin, J., Molinaro, M. and Cossu, G.
Altered protein phosphorylation in murine muscular dystrophy, 303
Shahani, U., see Navarrete, R., 257
Shamena, A.R., see Yaqub, B.A., 29
Sharief, M.K., Keir, K. and Thompson, E.J.
Intrathecal synthesis of IgM in neurological diseases: a comparison between detection of oligoclonal bands and quantitative estimation, 131
Sharif, H.S., see Yaqub, B.A., 29
Shinohara, Y., see Takeoka, T., 229
Suga, M., see Nishimura, M., 183
Suzuki, K., see Mizuno, Y., 49

Takeoka, T., Shinohara, Y., Mori, K. and Furumi, K.
Solid-phase immunofluorometric assay for

quantification of CSF immunoglobulins. Determination of normal reference values, 229
Tanabe, H., see Nishimura, M., 183
Tazir, M. and Geronimi, C.
Chronic childhood spinal muscular atrophies in Algeria. A genetic study, 89
Thompson, E.J., see Sharief, M.K., 131
Thornell, L.-E., see Edström, L., 211
Tojima, M., see Nishimura, M., 183
Tomlinson, D.R., see Calcutt, N.A., 283
Truyen, L., Gheuens, J., Van de Vyver, F.L., Parizel, P.M., Peersman, G.V. and Martin, J.-J.
Improved correlation of magnetic resonance imaging (MRI) with clinical status in multiple sclerosis (MS) by use of an extensive standardized imaging-protocol, 173

Van de Vyver, F.L., see Truyen, L., 173
Vermey, P., see Ferrari, M.D., 153
Vrbová, G., see Navarrete, R., 257

Wareham, A.C., Rowe, I.C.M. and Whittle, M.A.
Sarcolemmal K^+ channel activity in developing rat skeletal muscle membranes, 321
Warren, K.G. and Catz, I.
A myelin basic protein antibody cascade in purified IgG from cerebrospinal fluid of multiple sclerosis patients, 19
Webb, H.E., see Pathak, S., 293
Whittle, M.A., see Wareham, A.C., 321
Willars, G.B., see Calcutt, N.A., 283

Yamamoto, T., Kurobe, H., Kawamura, J., Hashimoto, S. and Nakamura, M.
Subacute dementia with necrotising encephalitis selectively involving the fornix and splenium. Retrograde development of Alzheimer's neurofibrillar tangles in the subiculum, 159
Yaqub, B.A., Al-Deeb, S.M., Daif, A.K., Sharif, H.S., Shamena, A.R., Al-Jaberi, M., Obeid, T. and Panayiotopoulos, C.C.
Bickerstaff brainstem encephalitis. A grave non-demyelinating disease with benign prognosis, 29

Journal of the Neurological Sciences, 1990, 96: 358–359
Elsevier

Subject Index (Vol. 96)

Actin, 211
Ageing, 269
Albumin ratio, 229
Alzheimer's disease, 59
Alzheimer's neurofibrillar tangle, 159
γ-Aminobutyric acid, 41
Anticardiolipin antibody, 143
Anti-myelin basic protein, 19
Apraxia of eyelid closure, 183
Aspartate, 41
ATP modulation, 321
Autoantibody, 19
Autoimmunity, 293
Autosomal recessive gene, 89
Autosomal recessive inheritance, 191
Axonal transport, 283

Bickerstaff brainstem encephalitis, 29ë

Calcium channel phosphorylation, 303
Cerebral cortex, 59
Cerebrospinal fluid, 19
Cerebrovascular disease, 1
Chronic childhood spinal muscular atrophies, 89
Chronic progressive myelopathy, 103
Chronic progressive spinobulbar spasticity, 183
Clinical evaluation, 173
Complex I, 49
Complex III, 49
Complex IV, 49
Correlations, 173
CSF IgA, 229
CSF IgG, 229
CSF IgM, 131, 229
Cytochrome *P*450, 153
Cytotoxic T cells, 75

Dementia, 1, 191
Demyelinating polyradiculopathies, 29
Demyelination, 293
Dentate nucleus, 41
Desmin, 211
Development, 257
Diabetes mellitus, 283
Diabetic neuropathy, 283
Dystrophic myogenic cells, 303

Electron transport system, 49
Encephalitis, 143
Enveloped viruses, 293
Eosinophilic meningitis, 241
Extrapyramidal dysfunction, 191

Fibres, 59
Fornix, 159

Gangliosides, 283
Genetic counselling, 89
Glutamate, 41
Glycolipids, 293
Gnathostoma spinigerum, 241
Guillain-Barré syndrome, 143

Helper T cells, 75
HTLV-I-associated myelopathy, 103
Human T-cell leukemia virus, 103

IgM index, 131
IgM oligoclonal bands, 131
Immunocytochemistry, 59
Immunoelectron microscopy, 293
Immunoglobulin index, 229
Immunoglobulin ratio, 229
Influenza virus, 293
Intracytoplasmic-pericytoplasmic antigens, 333
Intrathecal synthesis, 131

K^+ channels, 321
Kearns-Sayre syndrome, 207

Late onset subgroup of chronic SMA, 89
Limbic dementia, 159
Limbic encephalitis, 159

Macrophages, 75
Magnetic resonance imaging, 173

Measles virus, 293
Membrane phosphorylation, 303
MHC class I and II molecules, 75
Mitochondria (brain), 49
Mitochondrial myopathies, 207
Motoneuron(s), 257, 333
Motor impersistence, 183
mtDNA deletions, 207
Multiple sclerosis, 19, 131, 143, 173
Muscle dystrophy, 211
Muscle fibre number, 269
Muscular dystrophy (dydy), 303
Myelinated nerve fibre diameter, 269
Myelinated nerve fibre number, 269
Myeloencephalitis, 241
Myopathy, 211

Necrotising encephalitis, 159
Neonate, 321
Nerve injury, 257
Neuropeptide Y, 59

Ophthalmoplegia, 29

Parainfectious encephalomyelitis, 103
Parkinson's disease, 49, 153
Phenytoin, 153
Plasticity, 257
Primary lateral sclerosis, 183

Rables vaccine, 143
Reflex activity, 257
Respiratory failure, 211
Respiratory muscles, 211
Retrograde degeneration, 159
Retrovirus, 103
Rhodamine-phalloidin, 211

Sarcolemma, 321
Sarcomere, 211
Schwann cells, 75
Semliki Forest virus, 293
Sex influence on disease manifestations, 89
SMA, *see* spinal muscular atrophies
Soleus motor nerve, 269
Soleus muscle, 269
Solid-phase immunofluorometric assay, 229
Somatostatin, 59
Spinal muscular atrophies (SMA), 89
Straight tubule, 159
Streptozotocin, 283
Subiculum, 159
Substance P, 283
Syndrome of slow eye movements and spinocerebellar degeneration, 191

TCA cycle, 49
Thailand, 241
Tropical spastic paraparesis, 103

Vascular dementia, 1
Ventral root, 269

Wadia Swami syndrome, 191

Xenobiotic metabolism, 153

Z-disc, 211